GU GEARVRENCH FORGE AHEAD



Hammer Guide



Includes: Standard and Specialty Hammers, Sets and Open Stock



🖅 GEARWRENCH

MaxxLock[™] Hammers

MaxxLock[™] head-to-handle locking system: combination of locking components and epoxy develops more than 10,000 pounds of pull-off resistance for safety and durability MaxxLock™ fiberglass core handles perform significantly better than steel rod and hickory handles

 Slip resistant reverse-ribbed grips

 Fiberglass core and composite outer wrap provide double protection against overstrike damage

> Tether-ready for working at height with copper-reinforced lanyard attachment point

24-inch handle available for working at height: optional 24-inch handle on 8 lb. sledge improves control and is compliant with tools-at-height best practices Less weight for added safety at height: MaxxLock tools weigh less than comparable products with steel rod handles (8.7 lbs. vs. 11.2 lbs. for an 8-pound sledge)

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-713G	MaxxLock™ Ball Pein Hammer	Steel	Ball Pein	Composite	14.00"	24.00 oz
69-715G	MaxxLock™ Ball Pein Hammer	Steel	Ball Pein	Composite	14.00"	2.00 lb
69-717G	MaxxLock™ Brass Sledge Hammer	Brass	Sledge	Composite	14.00"	2.50 lb
69-719G	MaxxLock™ Brass Sledge Hammer	Brass	Sledge	Composite	14.00"	4.00 lb
69-700G	MaxxLock™ Sledge Hammer	Steel	Sledge	Composite	14.00"	3.00 lb
69-701G	MaxxLock™ Sledge Hammer	Steel	Sledge	Composite	14.00"	4.00 lb
69-703G	MaxxLock™ Sledge Hammer	Steel	Sledge	Composite	24.00"	6.00 lb
69-705G	MaxxLock™ Sledge Hammer	Steel	Sledge	Composite	24.00"	8.00 lb
69-707G	MaxxLock™ Sledge Hammer	Steel	Sledge	Composite	32.00"	8.00 lb
69-709G	MaxxLock™ Sledge Hammer	Steel	Sledge	Composite	32.00"	10.00 lb
69-711G	MaxxLock™ Sledge Hammer	Steel	Sledge	Composite	32.00"	12.00 lb

General Purpose Hammers



Sku #	Description	Туре	Head	Handle	Overall Length	Weight
82250	Ball Pein Hammer	Steel	Ball Pein	Fiberglass w/Cushion Grip	12.00"	8.00 oz
82251	Ball Pein Hammer	Steel	Ball Pein	Fiberglass w/Cushion Grip	14.00"	16.00 oz
82252	Ball Pein Hammer	Steel	Ball Pein	Fiberglass w/Cushion Grip	16.00"	24.00 oz
82253	Ball Pein Hammer	Steel	Ball Pein	Fiberglass w/Cushion Grip	16.00"	32.00 oz
82254	Claw Hammer	Steel	Claw	Fiberglass w/Cushion Grip	13.00"	16.00 oz
82255	Drilling Hammer	Steel	Sledge	Fiberglass w/Cushion Grip	11.00"	48.00 oz


Dead Blow Ball Pein Hammers



Steel shot filled canister creates a dead blow effect; sustains impact, maximizes force, reduces/ eliminates rebound, and absorbs the shock of impact

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
68-516G	Dead Blow Ball Pein Hammer	Dead Blow	Ball Pein	One Piece Urethane	13.00"	16.00 oz
68-524G	Dead Blow Ball Pein Hammer	Dead Blow	Ball Pein	One Piece Urethane	13.00"	24.00 oz
68-532G	Dead Blow Ball Pein Hammer	Dead Blow	Ball Pein	One Piece Urethane	14.00"	32.00 oz
68-540G	Dead Blow Ball Pein Hammer	Dead Blow	Ball Pein	One Piece Urethane	16.00"	40.00 oz

Standard Head Dead Blow Hammers



Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-530G	One-Piece Dead Blow Hammer	Dead Blow	Standard	One Piece Urethane	10.00"	10.00 oz
69-531G	One-Piece Dead Blow Hammer	Dead Blow	Standard	One Piece Urethane	11.00"	18.00 oz
69-532G	One-Piece Dead Blow Hammer	Dead Blow	Standard	One Piece Urethane	13.00"	21.00 oz
69-533G	One-Piece Dead Blow Hammer	Dead Blow	Standard	One Piece Urethane	14.00"	42.00 oz
69-534G	One-Piece Dead Blow Hammer	Dead Blow	Standard	One Piece Urethane	15.00"	52.00 oz
82240*	Dead Blow Hammer	Dead Blow	Standard	Rubber	11.00"	18.00 oz
82241*	Dead Blow Hammer	Dead Blow	Standard	Rubber	12.00"	24.00 oz
82242*	Dead Blow Hammer	Dead Blow	Standard	Rubber	14.00"	33.00 oz
82243*	Dead Blow Hammer	Dead Blow	Standard	Rubber	15.00"	49.00 oz
82244*	Dead Blow Hammer	Dead Blow	Standard	Rubber	15.00"	54.00 oz

*Hammer not made in USA

FORGE AHEAD

🖅 GEARWRENCH

Slimline One-Piece Dead Blow Hammers



Sku # Description Туре Head Handle **Overall Length** Weight 69-540G Slimline One-Piece Dead Blow Hammer Dead Blow Slimline One Piece Urethane 9.00" 5.00 oz Slimline One-Piece Dead Blow Hammer 69-541G Dead Blow Slimline One Piece Urethane 11.00" 14.00 oz 69-542G Slimline One-Piece Dead Blow Hammer Dead Blow Slimline **One Piece Urethane** 12.00" 18.00 oz Slimline One-Piece Dead Blow Hammer Slimline One Piece Urethane 12.00" 21.00 oz 69-543G Dead Blow

Sledge Head One-Piece Dead Blow Hammers

Non-sparking hot cast urethane covers steel shot chamber and steel reinforced handle; no exposed metal

GEARWRENCH

Steel shot filled canister creates a dead blow effect; sustains impact, maximizes force, reduces/ eliminates rebound, and absorbs the shock of impact

Resists chipping and splitting while reducing noise when striking metal objects such as slugging/striking wrenches

Hot cast urethane sledge head will not mar surfaces or absorb liquids

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-550G	Sledge Head One-Piece Dead Blow Hammer	Dead Blow	Sledge	One Piece Urethane	20.00"	5.00 lb
69-551G	Sledge Head One-Piece Dead Blow Hammer	Dead Blow	Sledge	One Piece Urethane	30.00"	8.00 lb
69-552G	Sledge Head One-Piece Dead Blow Hammer	Dead Blow	Sledge	One Piece Urethane	30.00"	10.50 lb
69-554G	Sledge Head One-Piece Dead Blow Hammer	Dead Blow	Sledge	One Piece Urethane	36.00"	11.50 lb

Powerdrive Dead Blow Hammers



Thermoplastic head material won't mar work and will last many times longer than conventional soft face tips without mushrooming

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-501G	Powerdrive Dead Blow Hammer	Dead Blow	Standard	Fiberglass w/Cushion Grip	19.00"	16.00 oz
69-503G	Powerdrive Dead Blow Hammer	Dead Blow	Standard	Fiberglass w/Cushion Grip	19.00"	32.00 oz
69-505G	Powerdrive Dead Blow Hammer	Dead Blow	Standard	Fiberglass w/Cushion Grip	19.00"	48.00 oz
69-507G	Powerdrive Dead Blow Hammer	Dead Blow	Standard	Fiberglass w/Cushion Grip	19.00"	64.00 oz

Double Face Sledge Hammers



Dropped forged head from alloy steel finished in black with polished face and bevels

Striking face has substantial bevels to reduce the chance of chipping

 Hickory handle is flame treated, clear lacquered, and securely wedged into the hammer head

Large face commonly used with slugging/ striking wrenches, stone, concrete, and metal

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-649G	Double Face Sledge Hammer	Steel	Sledge	Hickory	36.00"	6.00 lb
69-653G	Double Face Sledge Hammer	Steel	Sledge	Hickory	36.00"	10.00 lb

FORGE AHEAD

GEARWRENCH

Brass Hammers, Hickory Handles



Striking face is machined flat for even blow distribution

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
81-110G	Brass Hammer, Hickory Handle	Brass	Standard	Hickory	11.00"	8.00 oz
81-111G	Brass Hammer, Hickory Handle	Brass	Standard	Hickory	11.00"	16.00 oz
81-112G	Brass Hammer, Hickory Handle	Brass	Standard	Hickory	13.00"	32.00 oz

Brass Hammers, Fiberglass Handles



Striking face is machined flat for even blow distribution

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-513G	Brass Hammer, Fiberglass Handle	Brass	Standard	Fiberglass w/Cushion Grip	16.00"	1.50 lb
69-515G	Brass Hammer, Fiberglass Handle	Brass	Standard	Fiberglass w/Cushion Grip	16.00"	2.50 lb
69-517G	Brass Hammer, Fiberglass Handle	Brass	Standard	Fiberglass w/Cushion Grip	16.00"	4.00 lb

Copper Hammers, Hickory Handles

Ideal for driving bushings and gears as well as near combustible materials Soft copper head is non-sparking, surface protective to prevent work surface damage

Striking face is machined flat for even blow distribution Hickory handle is flame treated, clear lacquered, and securely wedged into the hammer head

Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-480G	Copper Hammer	Copper	Standard	Hickory	13.00"	1.50 lb
69-485G	Copper Hammer	Copper	Standard	Hickory	14.00"	2.00 lb

Soft Face Hammers



Hammer head designed to accept a variety of threaded soft face tips to customize to various applications

cushion grip

Sku #	Description	Face Diameter	Туре	Thread Size	Handle	Overall Length	Weight
69-003G	Soft Face Hammer	1.00"	Soft Face	1/4-20	Fiberglass w/Cushion Grip	11.25"	9.00 oz
69-009G	Soft Face Hammer	1.50"	Soft Face	5/16-18	Fiberglass w/Cushion Grip	12.50"	16.00 oz
69-013G	Soft Face Hammer	1.50"	Soft Face	5/16-18	Fiberglass w/Cushion Grip	12.50"	20.00 oz
69-017G	Soft Face Hammer	2.00"	Soft Face	3/8-16	Fiberglass w/Cushion Grip	13.75"	24.00 oz
69-019G	Soft Face Hammer	2.00"	Soft Face	3/8-16	Fiberglass w/Cushion Grip	13.75"	36.00 oz
69-033G	Soft Face Hammer	3.00"	Soft Face	1/2-13	Fiberglass w/Cushion Grip	15.50"	5.00 lb
82260	Soft Face Hammer	1.50"	Soft Face	5/16-18	Cushion Grip	15.00"	12.00 oz

Soft Face Hammer Tips





Resists chipping and splitting while reducing noise when striking metal objects


Will not mar surfaces or absorb liquids

Sku #	Description	Color	Thread Size	Hardness	Hardness Conversion	Diameter	Weight
69-143G	Soft Face Hammer Tip	Red	1/4-20	Medium	Wood, Rubber, Rawhide, Brass	1.00"	0.75 oz
69-145G	Soft Face Hammer Tip	Green	1/4-20	Tough	Rawhide, Hardwood, Plastic, Lead	1.00"	0.75 oz
69-146G	Soft Face Hammer Tip	Cream	1/4-20	Medium Hard	Rawhide, Hardwood, Lead	1.00"	0.75 oz
69-148G	Soft Face Hammer Tip	Black	1/4-20	Hard	Rawhide, Plastic, Micarta, Fiber	1.00"	0.75 oz
69-149G	Soft Face Hammer Tip	Yellow	1/4-20	Extra Hard	Rawhide, Micarta, Fiber, Copper	1.00"	0.75 oz
69-153G	Soft Face Hammer Tip	Red	5/16-18	Medium	Wood, Rubber, Rawhide, Brass	1.50"	2.00 oz
69-155G	Soft Face Hammer Tip	Green	5/16-18	Tough	Rawhide, Hardwood, Plastic, Lead	1.50"	2.00 oz
69-156G	Soft Face Hammer Tip	Cream	5/16-18	Medium Hard	Rawhide, Hardwood, Lead	1.50"	2.00 oz
69-158G	Soft Face Hammer Tip	Black	5/16-18	Hard	Rawhide, Plastic, Micarta, Fiber	1.50"	2.00 oz
69-159G	Soft Face Hammer Tip	Yellow	5/16-18	Extra Hard	Rawhide, Micarta, Fiber, Copper	1.50"	2.00 oz
69-163G	Soft Face Hammer Tip	Red	3/8-16	Medium	Wood, Rubber, Rawhide, Brass	2.00"	3.00 oz
69-165G	Soft Face Hammer Tip	Green	3/8-16	Tough	Rawhide, Hardwood, Plastic, Lead	2.00"	3.00 oz
69-166G	Soft Face Hammer Tip	Cream	3/8-16	Medium Hard	Rawhide, Hardwood, Lead	2.00"	3.00 oz
69-168G	Soft Face Hammer Tip	Black	3/8-16	Hard	Rawhide, Plastic, Micarta, Fiber	2.00"	3.00 oz
69-169G	Soft Face Hammer Tip	Yellow	3/8-16	Extra Hard	Rawhide, Micarta, Fiber, Copper	2.00"	3.00 oz
69-182G	Soft Face Hammer Tip	Brown	1/2-13	Soft	Soft Rubber, Soft Lead, Wood	3.00"	12.00 oz
69-183G	Soft Face Hammer Tip	Red	1/2-13	Medium	Wood, Rubber, Rawhide, Brass	3.00"	12.00 oz
69-185G	Soft Face Hammer Tip	Green	1/2-13	Tough	Rawhide, Hardwood, Plastic, Lead	3.00"	12.00 oz
69-188G	Soft Face Hammer Tip	Black	1/2-13	Hard	Rawhide, Plastic, Micarta, Fiber	3.00"	12.00 oz
69-189G	Soft Face Hammer Tip	Yellow	1/2-13	Extra Hard	Rawhide, Micarta, Fiber, Copper	3.00"	12.00 oz

FORGE AHEAD

GEARWRENCH

Rubber Mallets



Sku #	Description	Туре	Head	Handle	Overall Length	Weight
69-490G	Rubber Mallet	Rubber	Mallet	Fiberglass w/Cushion Grip	12.00"	2.00 lb
82259	Rubber Mallet	Rubber	Mallet	Hickory	11.00"	16.00 oz

Hammer Sets

- \cdot Popular starter set of hammers and mallets
- \cdot Precision hardened striking face
- \cdot Durable storage tray
- Molded comfort grip handles

Sku #	Description	Includes	Sizes	
82303D	5 Pc. Hammer Set	Ball Pein Hammer, Fiberglass	16 oz	
		Drilling Hammer	3 lb	
		Dead Blow Hammer, Composite Handle	16 oz	
		Rubber Mallet, Wood Hickory Handle	16 oz	
		Soft Face Hammer, Removable Caps	12 oz	

- \cdot General body tool and dolly set
- Hickory handles
- · Fine polished surfaces on dollys
- Soft and cross faced striking surfaces
- Includes a storage case

Sku #	Description	Includes	
82302	7 Pc. Body Hammer / Tool Set	Smooth Faced Bumping Hammer w/Square & Round Face	H
		Smooth Faced Cross Chisel Hammer	
		Crossed Face Shrinking Hammer	
		General Purpose Dolly	
		Toe Dolly	
		Wedge Dolly	-
		Heel Dolly	

Apex Tool Group, LLC 1000 Lufkin Rd, Apex, NC 27539 www.apextoolgroup.com ©2018 Apex Tool Group, LLC

GEARWRENCH" is registered as a trademark of Apex Brands, Inc., a Division of Apex Tool Group, LLC Specifications subject to change without notice.



FORGE AHEAD

ATG-4015 XX-XXXXXX 5K PRINTED 4.18 ITEM NO. T551039