

SCREWDRIVERS, NUTDRIVERS, HEX KEYS & BITS.

The Blackhawk™ by Proto® line of tools includes a core assortment of drivers, bits and keys to handle most fastener turning operations in automotive and light-industrial applications. Blackhawk™ by Proto® screwdrivers have clear extruded handles which help reduce stress and fracture potential, and hold up to common solvents and chemicals found in automotive and industrial facilities. Handles are large and four-sided for increased torque and easy turning. Precision-formed alloy steel bars are heat-treated and nickel-chrome plated to provide wear resistance with excellent torque and bend strength. The narrow blade slotted drivers feature serrated tips that provide additional bite on slotted fasteners. Cold formed Phillips® drivers provide for better screwdriver-to-fastener fit.



Blackhawk
BY PROTO

Screwdrivers



7 PIECE TORX® SCREWDRIVER SET

• Weight: 1.40 lbs.

Item No.	Contents	Description	Tip	Blade Length	Blade	Shank
ST-127S	ST-608S	Torx®	8	3.3"	●	●
	ST-610S	Torx®	10	3.3"	●	●
	ST-615S	Torx®	15	3.3"	●	●
	ST-620S	Torx®	20	3.3"	●	●
	ST-625S	Torx®	25	3.3"	●	●
	ST-627S	Torx®	27	4.0"	●	●
	ST-630S	Torx®	30	4.0"	●	●
Pouch						



7 PIECE COMBINATION SCREWDRIVER SET

• Weight: 2.16 lbs.

Item No.	Contents	Description	Tip	Blade Length	Blade	Shank
ST-107S	ST-1004S	Slotted	1/4"	4.0"	⊖	●
	ST-1006S	Slotted	5/16"	6.0"	⊖	●
	ST-1008S	Slotted	3/8"	8.0"	⊖	●
	ST-1081S	Phillips®	1 Pt.	3.0"	⊕	●
	ST-1082S	Phillips®	2 Pt.	4.0"	⊕	●
	ST-1140S	Phillips® Stubby	2 Pt.	1.5"	⊕	●
	ST-1145S	Slotted Stubby	1/4"	1.5"	⊖	●
Pouch						



5 PIECE PHILLIPS® SCREWDRIVER SET

• Weight: 1.79 lbs.

Item No.	Contents	Description	Tip	Blade Length	Blade	Shank
ST-105S	ST-1140S	Phillips® Stubby	2 Pt.	1.5"	⊕	●
	ST-1081S	Phillips®	1 Pt.	3.0"	⊕	●
	ST-1082S	Phillips®	2 Pt.	4.0"	⊕	●
	ST-1083S	Phillips®	3 Pt.	6.0"	⊕	●
	ST-1084S	Phillips®	2 Pt.	10.0"	⊕	●
Pouch						



5 PIECE SLOTTED SCREWDRIVER SET

• Weight: 1.76 lbs.

Item No.	Contents	Description	Tip	Blade Length	Blade	Shank
ST-106S	ST-1024S	Slotted Square Shank	1/4"	4.0"	⊖	■
	ST-1026S	Slotted Square Shank	5/16"	6.0"	⊖	■
	ST-1028S	Slotted Square Shank	3/8"	8.0"	⊖	■
	ST-1145S	Slotted Stubby	1/4"	1.5"	⊖	●
	ST-1150S	Slotted Pocket Size	1/8"	2.0"	⊖	●
Pouch						

Phillips® is a registered trademark of Phillips Screw Co.
Torx® is a registered trademark of Acument Intellectual Properties, LLC



Screwdrivers

4 PIECE COMBINATION SCREWDRIVER SET

• Weight: 1.28 lbs.

Item No.	Contents	Description	Tip	Blade Length	Blade	Shank
ST-104S	ST-1004S	Slotted	1/4"	4.0"	⊖	●
	ST-1006S	Slotted	5/16"	6.0"	⊖	●
	ST-1081S	Phillips®	1 Pt.	3.0"	⊕	●
	ST-1082S	Phillips®	2 Pt.	4.0"	⊕	●
		Pouch				

SLOTTED SCREWDRIVERS

Item No.	Tip	Blade Length	Blade	Shank	Weight
ST-1004S	1/4"	4.0"	⊖	●	0.23 lbs.
ST-1006S	5/16"	6.0"	⊖	●	0.39 lbs.
ST-1008S	3/8"	8.0"	⊖	●	0.53 lbs.
ST-1010S	3/8"	10.0"	⊖	●	0.84 lbs.

ASME B107.15

SLOTTED SQUARE SHANK SCREWDRIVERS

Item No.	Tip	Blade Length	Blade	Shank	Weight
ST-1024S	1/4"	4.0"	⊖	■	0.25 lbs.
ST-1026S	5/16"	6.0"	⊖	■	0.43 lbs.
ST-1028S	3/8"	8.0"	⊖	■	0.66 lbs.
ST-1032S	3/8"	10.0"	⊖	■	0.97 lbs.

ASME B107.15

SLOTTED ELECTRICIAN'S SCREWDRIVERS

Item No.	Tip	Blade Length	Blade	Shank	Weight
ST-1043S	3/16"	3.0"	⊖	●	0.15 lbs.
ST-1046S	3/16"	6.0"	⊖	●	0.18 lbs.
ST-1048S	3/16"	10.0"	⊖	●	0.19 lbs.

ASME B107.15

SLOTTED STUBBY SCREWDRIVER

Item No.	Tip	Blade Length	Blade	Shank	Weight
ST-1145S	1/4"	1.5"	⊖	●	0.10 lbs.

ASME B107.15

POCKET SCREWDRIVER

Item No.	Description	Tip	Blade Length	Blade	Shank	Weight
ST-1150S	Slotted	1/8"	2.0"	⊖	●	0.03 lbs.
ST-1151S	Phillips®	0 Pt.	2.0"	⊕	●	0.03 lbs.

ASME B107.15

PHILLIPS® SCREWDRIVERS






Item No.	Tip	Blade Length	Blade	Shank	Weight
ST-1081S	1 Pt.	3.0"	⊕	●	0.15 lbs.
ST-1082S	2 Pt.	4.0"	⊕	●	0.23 lbs.
ST-1083S	3 Pt.	6.0"	⊕	●	0.38 lbs.
ST-1084S	2 Pt.	10.0"	⊕	●	0.51 lbs.

ASME B107.30

PHILLIPS® STUBBY SCREWDRIVER

Item No.	Tip	Blade Length	Blade	Shank	Weight
ST-1140S	2 Pt.	1.5"	⊕	●	0.10 lbs.

ASME B107.30



Screwdrivers

Screwdrivers

Screwdrivers



TORX® SCREWDRIVERS

Item No.	Tip	Blade Length	Blade	Shank	Weight
ST-608S	8	3.3"	⊖	●	0.05 lbs.
ST-610S	10	3.3"	⊖	●	0.15 lbs.
ST-615S	15	3.3"	⊖	●	0.13 lbs.
ST-620S	20	3.3"	⊖	●	0.14 lbs.
ST-625S	25	3.3"	⊖	●	0.16 lbs.
ST-627S	27	4.0"	⊖	●	0.25 lbs.
ST-630S	30	4.0"	⊖	●	0.26 lbs.

SPARK DETECTOR SCREWDRIVER

- Light inside handle illuminates when spark is detected.
- For use on ignition systems only.

Item No.	Tip Width	Length	Blade	Weight
ST-1214	1/8"	2.3"	⊖	0.04 lbs.

BIT DRIVER

Item No.	Weight
900-70	0.07 lbs.

OFFSET SCREWDRIVERS

Item No.	Tip	Length	Blade	Weight
ST-1183	3/16"	3.0"	⊖	0.04 lbs.
ST-1184	3/16"	4.0"	⊖	0.04 lbs.
ST-1185	1/4"	4.5"	⊖	0.08 lbs.

SLOTTED SCREW STARTERS

- Use to start the screw with one hand inserting or backing off the screw.
- Inserted blade into the slot, turn slightly and release.
- The center section of the blade rotates and exerts a positive grip upon the screw slot.

Item No.	Length	Blade	Weight
ST-1166	2.5"	⊖	0.05 lbs.
ST-1167	5.5"	⊖	0.25 lbs.
ST-1168	9.5"	⊖	0.59 lbs.

PHILLIPS® SCREW STARTERS

- For starting Phillips® screws in tight, hard-to-reach spots.
- The screw is held tightly with just a twist of the bit, then released when the torque increases, after the screw has taken hold.
- Strong magnet on opposite end makes retrieving small parts easy.

Item No.	Length	Blade	Weight
ST-1171	5.8"	⊕	0.30 lbs.

8 PIECE STANDARD NUT DRIVER INCH SET — 6 POINT

- Weight: 2.00 lbs.

Item No.	Contents	Description	Size
ST-828	ST-800	Standard Nut Driver	3/16"
	ST-801	Standard Nut Driver	9/32"
	ST-803	Standard Nut Driver	1/4"
	ST-806	Standard Nut Driver	5/16"
	ST-809	Standard Nut Driver	11/32"
	ST-812	Standard Nut Driver	3/8"
	ST-815	Standard Nut Driver	7/16"
	ST-818	Standard Nut Driver	1/2"
		Pouch	

Phillips® is a registered trademark of Phillips Screw Co.
Torx® is a registered trademark of Acument Intellectual Properties, LLC



Screwdrivers

9 PIECE **METRIC** NUT DRIVER SET — 6 POINT

• Weight: 2.22 lbs.

Item No.	Contents	Description	Size
ST-829M	ST-904M	Metric Nut Driver	4 mm
	ST-905M	Metric Nut Driver	5 mm
	ST-955M	Metric Nut Driver	5.5 mm
	ST-907M	Metric Nut Driver	7 mm
	ST-908M	Metric Nut Driver	8 mm
	ST-909M	Metric Nut Driver	9 mm
	ST-910M	Metric Nut Driver	10 mm
	ST-911M	Metric Nut Driver	11 mm
	ST-912M	Metric Nut Driver	12 mm
	Pouch		

STANDARD NUT DRIVERS — 6 POINT

Item No.	Size	Weight
ST-800	3/16"	0.14
ST-801	9/32"	0.14
ST-803	1/4"	0.14
ST-806	5/16"	0.18
ST-809	11/32"	0.20
ST-812	3/8"	0.21
ST-815	7/16"	0.27
ST-818	1/2"	0.28

METRIC NUT DRIVERS — 6 POINT

ASME B107.12

Item No.	Size	Weight
ST-904M	4 mm	0.14
ST-905M	5 mm	0.14
ST-955M	5.5 mm	0.14
ST-907M	7 mm	0.18
ST-908M	8 mm	0.20
ST-909M	9 mm	0.21
ST-910M	10 mm	0.27
ST-911M	11 mm	0.28
ST-912M	12 mm	0.30

40 PIECE INSERT BIT SET

ASME B107.35M

• Weight: 2 lbs.

Item No.	Contents	Description	Blade	Contents	Description	Blade
940-JS	9000-A	Adapter Socket		900-33	Square Head, #3	⊕
	900-20	# 0 Pt. Phillips®	⊕	900-40	Reed Prince #0 (Pozi)	⊕
	900-21	# 1 Pt. Phillips®	⊕	900-41	Reed Prince #1 (Pozi)	⊕
	900-22	# 2 Pt. Phillips®	⊕	900-42	Reed Prince #2 (Pozi)	⊕
	900-23	# 3 Pt. Phillips®	⊕	900-43	Reed Prince #3 (Pozi)	⊕
	900-51	Phillips® ARC, #1	⊕	900-60	Hex Bit, 5/64"	⊙
	900-52	Phillips® ARC, #2	⊕	900-61	Hex Bit, 1/8"	⊙
	900-53	Phillips® ARC, #3	⊕	900-62	Hex Bit, 5/32"	⊙
	900-0	Slotted 7/64"	⊖	900-63	Hex Bit, 3/16"	⊙
	900-5	Slotted 7/32"	⊖	900-64	Hex Bit, 1/4"	⊙
	900-1	Slotted 1/8"	⊖	9000-T6	Torx® Bit T6	⊙
	900-2	Slotted 9/64"	⊖	9000-T7	Torx® Bit T7	⊙
	900-8	Slotted 5/16"	⊖	9000-T8	Torx® Bit T8	⊙
	900-3	Slotted 5/32"	⊖	9000-T10	Torx® Bit T10	⊙
	900-4	Slotted 3/16"	⊖	9000-T15	Torx® Bit T15	⊙
	900-6	Slotted 1/4"	⊖	9000-T20	Torx® Bit T20	⊙
	900-7	Slotted 9/32"	⊖	9000-T25	Torx® Bit T25	⊙
	900-30	Square Head, #0	⊙	9000-T27	Torx® Bit T27	⊙
	900-31	Square Head, #1	⊙	9000-T30	Torx® Bit T30	⊙
	900-32	Square Head, #2	⊙	9000-T40	Torx® Bit T40	⊙
				Pouch		



Screwdrivers

Screwdrivers



INSERT BITS

Item No.	Description	Blade	Weight
9000-A	Adapter Socket		0.01
900-20	# 0 Pt. Phillips®	+	0.01
900-21	# 1 Pt. Phillips®	+	0.01
900-22	# 2 Pt. Phillips®	+	0.01
900-23	# 3 Pt. Phillips®	+	0.01
900-51	Phillips® ARC, #1	+	0.01
900-52	Phillips® ARC, #2	+	0.01
900-53	Phillips® ARC, #3	+	0.01
900-0	Slotted 7/64"	⊖	0.01
900-5	Slotted 7/32"	⊖	0.01
900-1	Slotted 1/8"	⊖	0.01
900-2	Slotted 9/64"	⊖	0.01
900-8	Slotted 5/16"	⊖	0.01
900-3	Slotted 5/32"	⊖	0.01
900-4	Slotted 3/16"	⊖	0.01
900-6	Slotted 1/4"	⊖	0.01
900-7	Slotted 9/32"	⊖	0.01
900-30	Square Head, #0	⊙	0.01
900-31	Square Head, #1	⊙	0.01
900-32	Square Head, #2	⊙	0.01
900-33	Square Head, #3	⊙	0.01
900-40	Reed Prince #0 (Pozi)	+	0.01
900-41	Reed Prince #1 (Pozi)	+	0.01
900-42	Reed Prince #2 (Pozi)	+	0.01
900-43	Reed Prince #3 (Pozi)	+	0.01
9000-TP10	Tamper Resistant T10	⊙	0.01
9000-TP15	Tamper Resistant T15	⊙	0.01
9000-TP20	Tamper Resistant T20	⊙	0.01
9000-TP25	Tamper Resistant T25	⊙	0.01
9000-TP27	Tamper Resistant T27	⊙	0.01
900-60	Hex Bit, 5/64"	⊙	0.01
900-61	Hex Bit, 1/8"	⊙	0.01
900-62	Hex Bit, 5/32"	⊙	0.01
900-63	Hex Bit, 3/16"	⊙	0.01
900-64	Hex Bit, 1/4"	⊙	0.01
9000-T6	Torx® Bit T6	⊙	0.01
9000-T7	Torx® Bit T7	⊙	0.01
9000-T8	Torx® Bit T8	⊙	0.01
9000-T10	Torx® Bit T10	⊙	0.01
9000-T15	Torx® Bit T15	⊙	0.01
9000-T20	Torx® Bit T20	⊙	0.01
9000-T25	Torx® Bit T25	⊙	0.01
9000-T27	Torx® Bit T27	⊙	0.01
9000-T30	Torx® Bit T30	⊙	0.01
9000-T40	Torx® Bit T40	⊙	0.01
9000HB	3/8" Hex Bit Holder		

Phillips® is a registered trademark of Phillips Screw Co.
Torx® is a registered trademark of Acument Intellectual Properties, LLC




Screwdrivers

26 PIECE RATCHETING SCREWDRIVER SET

• Weight: 1.17 lbs.

Item No.	Contents	Description	Blade
9026NB	9000-T10	T10 Torx® Bit	⊕
	9000-T15	T15 Torx® Bit	⊕
	9000-T20	T20 Torx® Bit	⊕
	9000-T25	T25 Torx® Bit	⊕
	9000-T30	T30 Torx® Bit	⊕
	900-21	1 Pt. Phillips®	⊕
	900-22	2 Pt. Phillips®	⊕
	900-4	3/16" Slotted Bit	⊖
	900-6	1/4" Slotted Bit	⊖
	900-7	9/32" Slotted Bit	⊖
	9000R	Ratcheting Screwdriver	
	9000-A	Adapter Socket	
	GW-1606	3/16", 6 Pt. Socket	○
	GW-1608	1/4", 6 Pt. Socket	○
	GW-1610	5/16", 6 Pt. Socket	○
	GW-1611	11/32", 6 Pt. Socket	○
	GW-1612	3/8", 6 Pt. Socket	○
	GW-1614	7/16", 6 Pt. Socket	○
	GW-1616	1/2", 6 Pt. Socket	○
	GW-606M	6 mm, 6 Pt. Socket	○
	GW-607M	7 mm, 6 Pt. Socket	○
	GW-608M	8 mm, 6 Pt. Socket	○
	GW-609M	9 mm, 6 Pt. Socket	○
	GW-610M	10 mm, 6 Pt. Socket	○
	GW-611M	11 mm, 6 Pt. Socket	○
	GW-612M	12 mm, 6 Pt. Socket	○
	Blow Molded Case		



9 PIECE RATCHETING SCREWDRIVER SET

• Weight: 0.68 lbs.

Item No.	Contents	Description	Blade
9023	9000R	Ratcheting Screwdriver	
	9000-T15	T15 Torx® Bit	⊕
	9000-T20	T20 Torx® Bit	⊕
	9000-T25	T25 Torx® Bit	⊕
	9000-T30	T30 Torx® Bit	⊕
	900-21	1 Pt. Phillips®	⊕
	900-22	2 Pt. Phillips®	⊕
	900-4	3/16" Slotted Bit	⊖
	900-7	9/32" Slotted Bit	⊖



Screwdrivers



13 PIECE STANDARD HEX KEY WRENCH SET

• Weight: 0.63 lbs.

Item No.	Size	Short Arm	Long Arm
ZW-53	.050"	0.5"	1.6"
	1/16"	0.6"	1.7"
	5/64"	0.6"	1.8"
	3/32"	0.6"	2.0"
	7/64"	0.7"	2.1"
	1/8"	0.7"	2.2"
	9/64"	0.8"	2.4"
	5/32"	0.8"	2.5"
	3/16"	0.9"	2.7"
	7/32"	1.0"	2.9"
	1/4"	1.1"	3.2"
	5/16"	1.2"	3.6"
	3/8"	1.3"	4.1"



13 PIECE STANDARD LONG HEX KEY WRENCH SET

• Weight: 0.88 lbs.

Item No.	Size	Short Arm	Long Arm
ZW-59	.050"	0.6"	2.8"
	1/16"	0.6"	3.0"
	5/64"	0.6"	3.0"
	3/32"	0.7"	3.4"
	7/64"	0.7"	3.5"
	1/8"	0.7"	3.7"
	9/64"	0.8"	3.9"
	5/32"	0.8"	4.1"
	3/16"	0.9"	4.5"
	7/32"	1.0"	4.8"
	1/4"	1.1"	5.2"
	5/16"	1.2"	5.8"
	3/8"	1.4"	6.6"



9 PIECE **METRIC** HEX KEY WRENCH SET

• Weight: 0.58 lbs.

Item No.	Size	Short Arm	Long Arm
ZW-69	1.5 mm	13.1 mm	43.1 mm
	2.0 mm	14.8 mm	47.8 mm
	2.5 mm	17.1 mm	53.1 mm
	3.0 mm	18.5 mm	60.8 mm
	4.0 mm	23.4 mm	66.6 mm
	5.0 mm	27.3 mm	76.2 mm
	6.0 mm	30.9 mm	87.0 mm
	8.0 mm	34.5 mm	95.9 mm
	10.0 mm	37.5 mm	105.4 mm

