





SLN12

P M K N S H



K_r	90°
a_{pmax}	9,0 mm



ISO	D	L	d	d _i	l ₁	H	M	b	t	γ_f°	γ_p°			max.		kg			
DIN 1835A	25A2R034A25-SLN12-C	25	170	25	-	34	-	-	-	-23	-8	2	-	19500	✓	0,58	GI205	SQ340	-
	25A2R080A25-SLN12-C	25	170	25	-	80	-	-	-	-23	-8	2	-	19500	✓	0,51	GI205	SQ340	-
	32A2R034A32-SLN12-C	32	195	32	-	34	-	-	-	-15	-6	2	-	17300	✓	1,05	GI205	SQ340	-
DIN 1835B	32A2R090A32-SLN12-C	32	195	32	-	90	-	-	-	-15	-6	2	-	17300	✓	0,98	GI205	SQ340	-
	25A2R042B25-SLN12-C	25	99	25	-	42	-	-	-	-23	-8	2	-	19500	✓	0,30	GI205	SQ340	-
	32A3R042B32-SLN12-C	32	103	32	-	42	-	-	-	-15	-6	3	-	17300	✓	0,50	GI205	SQ340	-
MODULAR	40A4R050B32-SLN12-C	40	111	32	-	50	-	-	-	-15	-6	4	✓	15500	✓	0,62	GI205	SQ340	-
	25A2R033M12-SLN12-C	25	55	12,5	-	-	33	-	-	-22	-6	2	-	-	✓	0,12	GI205	SQ340	-
	32A2R043M16-SLN12-C	32	66	17	-	-	43	-	-	-15	-6	2	-	-	✓	0,22	GI205	SQ340	-
ISO 642 DIN 9236	32A3R043M16-SLN12-C	32	66	17	-	-	43	-	-	-15	-6	3	-	-	✓	0,23	GI205	SQ340	-
	40A3R043M16-SLN12-C	40	66	17	-	-	43	-	-	-15	-6	3	-	-	✓	0,30	GI205	SQ340	-
	40A04R-S90LN12-C	40	40	16	14	-	-	8,4	5,6	-15	-6	4	✓	15500	✓	0,23	GI205	SQ342	-
	50A04R-S90LN12-C	50	40	22	18	-	-	10,4	6,3	-14,5	-6	4	✓	13800	✓	0,35	GI205	SQ343	-
	50A05R-S90LN12-C	50	40	22	18	-	-	10,4	6,3	-14,5	-6	5	✓	13800	✓	0,11	GI205	SQ343	-
	63A04R-S90LN12-C	63	40	22	18	-	-	10,4	6,3	-14	-6	4	✓	12300	✓	0,55	GI205	SQ343	-
	63A06R-S90LN12-C	63	40	22	18	-	-	10,4	6,3	-14	-6	6	✓	12300	✓	0,50	GI205	SQ343	-
	80A05R-S90LN12-C	80	50	27	38	-	-	12,4	7,0	-14	-6	5	✓	10900	✓	1,18	GI205	SQ341	AC001
	80A07R-S90LN12-C	80	50	27	38	-	-	12,4	7,0	-14	-6	7	✓	10900	✓	1,02	GI205	SQ341	AC001
	100A06R-S90LN12-C	100	50	32	45	-	-	14,4	8,0	-14	-6	6	✓	9800	✓	1,78	GI205	SQ341	AC002
	100A08R-S90LN12-C	100	50	32	45	-	-	14,4	8,0	-14	-6	8	✓	9800	✓	2,01	GI205	SQ341	AC002
	110A06R-S90LN12-C	110	50	32	45	-	-	14,4	8,0	-14	-6	6	✓	9300	✓	2,09	GI205	SQ341	AC002
125A07R-S90LN12-C	125	63	40	56	-	-	16,4	9,0	-14	-6	7	✓	8700	✓	3,44	GI205	SQ341	AC003	
125A09R-S90LN12-C	125	63	40	56	-	-	16,4	9,0	-14	-6	9	✓	8700	✓	3,38	GI205	SQ341	AC003	


GI205	LNGX 1205..	LNGU 1205..
-------	-------------	-------------

SQ340	US 44012-T15P	3,5	M 4	12	-	-	Flag T15P	-
SQ341	US 44012-T15P	3,5	M 4	12	D-T08P/T15P	FG-15	-	-
SQ342	US 44012-T15P	3,5	M 4	12	D-T08P/T15P	FG-15	-	HS 0830C
SQ343	US 44012-T15P	3,5	M 4	12	D-T08P/T15P	FG-15	-	HS 1030C

AC001	KS 1230	K.FMH27
AC002	KS 1635	K.FMH32
AC003	KS 2040	K.FMH40

LNGX 12

	d	d ₁	l	s
1205	9,500	4,50	12,00	5,96




		ISO		P	M	K	N	S	H			r _c	f _{min}	f _{max}	a _{p min}	a _{p max}	
		LNGX 120504ER-F	M8340	■	▣	▣	□	□	□	●	+/-	0,4	0,04	0,15	0,2	9,0	
			8215	■	▣	▣	□	□	□	●	-	0,4	0,04	0,15	0,2	9,0	
			8230	■	▣	▣	□	□	□	●	-	0,4	0,04	0,15	0,2	9,0	
		LNGX 120508ER-F	M8310	■	▣	▣	□	□	□	●	-	0,8	0,04	0,15	0,2	9,0	
			M8340	■	▣	▣	□	□	□	●	+/-	0,8	0,04	0,15	0,2	9,0	
			8215	■	▣	▣	□	□	□	●	-	0,8	0,04	0,15	0,2	9,0	
		LNGX 120504ER-M	M8340	■	□	▣	□	□	□	●	+/-	0,4	0,05	0,25	0,2	9,0	
			8230	■	□	■	□	□	□	●	-	0,4	0,05	0,25	0,2	9,0	
			LNGX 120508ER-M	M9315	■	□	▣	□	□	□	●	---	0,8	0,05	0,15	0,2	9,0
		LNGX 120508ER-M	M9325	■	□	□	□	□	□	●	---	0,8	0,05	0,15	0,2	9,0	
			M9340	▣	□	□	□	□	□	●	---	0,8	0,05	0,15	0,2	9,0	
			M8310	■	□	■	□	□	□	●	-	0,8	0,05	0,25	0,2	9,0	
		LNGX 120510ER-M	M8340	■	□	▣	□	□	□	●	+/-	0,8	0,05	0,25	0,2	9,0	
			8215	■	□	■	□	□	□	●	-	0,8	0,05	0,25	0,2	9,0	
			8230	■	□	■	□	□	□	●	-	0,8	0,05	0,25	0,2	9,0	
		LNGX 120512ER-M	8240	■	□	▣	□	□	□	●	-	0,8	0,05	0,25	0,2	9,0	
			LNGX 120510ER-M	M8340	■	□	▣	□	□	□	●	+/-	1,0	0,05	0,25	0,2	9,0
			8230	■	□	■	□	□	□	●	-	1,0	0,05	0,25	0,2	9,0	
		LNGX 120516ER-M	M8340	■	□	▣	□	□	□	●	+/-	1,6	0,05	0,25	0,2	9,0	
			8230	■	□	■	□	□	□	●	-	1,6	0,05	0,25	0,2	9,0	
			LNGX 120520ER-M	M8310	■	□	■	□	□	□	●	-	2,0	0,05	0,25	0,2	9,0
		LNGX 120520ER-M	M8340	■	□	▣	□	□	□	●	+/-	2,0	0,05	0,25	0,2	9,0	
			8230	■	□	■	□	□	□	●	-	2,0	0,05	0,25	0,2	9,0	
			LNGX 120508SR-R	M5315	▣	□	■	□	□	□	●	---	0,8	0,15	0,27	1,0	9,0
		LNGX 120508SR-R	M9315	■	□	▣	□	□	□	●	---	0,8	0,15	0,27	1,0	9,0	
			M9325	■	□	□	□	□	□	●	---	0,8	0,15	0,27	1,0	9,0	
			M9340	▣	□	□	□	□	□	●	---	0,8	0,15	0,27	1,0	9,0	
		LNGX 120508SR-R	M8310	■	□	■	□	□	□	●	-	0,8	0,15	0,35	1,0	9,0	
			M8340	■	□	▣	□	□	□	●	+/-	0,8	0,15	0,35	1,0	9,0	
			8215	■	□	■	□	□	□	●	-	0,8	0,15	0,35	1,0	9,0	
		LNGX 120508SR-R	8230	■	□	■	□	□	□	●	-	0,8	0,15	0,35	1,0	9,0	

		ISO		P	M	K	N	S	H			r_c	f_{min}	f_{max}	$a_{p min}$	$a_{p max}$	
 	 	LNGX 120516SR-R	M9325	■	□	□	□	□	□	●	---	1,6	0,15	0,27	1,0	9,0	
		M8340	■	□	■	□	□	□	□	●	+/-	1,6	0,15	0,35	1,0	9,0	
		8215	■	□	■	□	□	□	□	●	-	1,6	0,15	0,35	1,0	9,0	
		8230	■	□	■	□	□	□	□	●	-	1,6	0,15	0,35	1,0	9,0	
 	 	LNGX 120504ER-MF	M9340	■	■	□	□	□	□	●	---	0,4	0,04	0,13	0,3	9,0	
		M6330	■	■	□	□	□	□	□	●	-	0,4	0,04	0,15	0,3	9,0	
		M8340	■	■	□	□	□	□	□	●	+/-	0,4	0,04	0,15	0,3	9,0	
		LNGX 120508ER-MF	M9340	■	■	□	□	□	□	□	●	---	0,8	0,04	0,13	0,3	9,0
		M6330	■	■	□	□	□	□	□	●	-	0,8	0,04	0,15	0,3	9,0	
		M8340	■	■	□	□	□	□	□	●	+/-	0,8	0,04	0,15	0,3	9,0	
 	 	LNGX 120508SR-MM	M9340	■	■	□	□	□	□	●	---	0,8	0,08	0,17	0,3	9,0	
		M6330	■	■	□	□	□	□	□	●	-	0,8	0,08	0,20	0,3	9,0	
		M8340	■	■	□	□	□	□	□	●	+/-	0,8	0,08	0,20	0,3	9,0	
		M8345	■	■	□	□	□	□	□	●	+/-	0,8	0,08	0,20	0,3	9,0	

LNGU 12


	d	d_1	l	s
1205	9,500	4,50	12,00	5,96



		ISO		P	M	K	N	S	H			r_c	f_{min}	f_{max}	$a_{p min}$	$a_{p max}$	
 	 	LNGU 120525ER-M	M8340	■	□	■	□	□	□	●	+/-	2,5	0,05	0,25	0,2	9,0	
		8230	■	□	■	□	□	□	□	●	-	2,5	0,05	0,25	0,2	9,0	
		LNGU 120530ER-M	M8340	■	□	■	□	□	□	□	●	+/-	3,0	0,05	0,25	0,2	9,0
		8230	■	□	■	□	□	□	□	□	●	-	3,0	0,05	0,25	0,2	9,0

LNGX 12-FA

	d	d ₁	l	s
1205	9,500	4,50	12,00	5,96



		ISO		P	M	K	N	S	H			r _ε	f _{min}	f _{max}	a _{p min}	a _{p max}
		LNGX 120504FR-FA	HF7	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			+/-	0,4	0,03	0,35	0,2	9,0
		LNGX 120508FR-FA	M0315	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			++	0,8	0,03	0,35	0,2	9,0
			HF7	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			+/-	0,8	0,03	0,35	0,2	9,0








ISO	f _{min}	f _{max}	M5315	M9315	M9325	M9340	M0315	M6330	M8310	M8340	M8345	8215	8230	8240	HF7	
P		0,05	0,20	326	326	289	259	-	221	274	236	188	259	248	210	-
		0,05	0,15	304	296	255	233	-	199	248	210	165	229	221	191	-
		0,05	0,10	278	270	225	206	-	173	221	184	146	203	191	169	-
M		0,05	0,20	-	-	146	154	-	158	139	139	113	154	146	128	60
		0,05	0,15	-	-	131	139	-	139	124	124	98	139	131	113	53
		0,05	0,10	-	-	113	124	-	120	113	109	86	120	116	101	45
K		0,05	0,20	311	311	-	-	-	259	225	-	244	236	203	98	
		0,05	0,15	289	281	-	-	-	236	199	-	218	210	180	86	
		0,05	0,10	266	255	-	-	-	210	173	-	191	184	161	75	
N		0,05	0,20	-	-	-	-	570	-	-	-	645	623	-	255	
		0,05	0,15	-	-	-	-	510	-	-	-	578	555	-	229	
		0,05	0,10	-	-	-	-	446	-	-	-	510	484	-	199	
S		0,05	0,20	-	-	71	75	-	79	68	68	56	75	71	64	30
		0,05	0,15	-	-	64	68	-	68	60	60	49	68	64	56	26
		0,05	0,10	-	-	56	60	-	60	56	53	41	60	56	49	23
H		0,05	0,20	64	64	-	-	-	53	-	-	49	49	-	19	
		0,05	0,15	60	56	-	-	-	49	-	-	45	41	-	15	
		0,05	0,10	53	53	-	-	-	41	-	-	38	38	-	15	



a_e/D	0,05	0,10	0,15	0,20	0,25	0,30	0,40	0,50	0,60	0,70	0,75	0,80	0,90	1,00
$X.V$	1,48	1,35	1,27	1,22	1,19	1,16	1,11	1,08	1,05	1,03	1,00	1,00	1,00	1,00
$X.f$	2,87	2,05	1,69	1,48	1,33	1,23	1,09	0,75	0,94	0,90	0,89	0,88	0,88	1,00
$X.f$	0,64	0,64	0,64	0,64	0,64	0,65	0,65	0,67	0,68	0,71	0,72	0,74	0,79	1,00

	LNGX 12-F	LNGX 12-M							LNGU 12-M	
r_ϵ	0,4	0,8	0,4	0,8	1,0	1,2	1,6	2,0	2,5	3,0
a	2,29	1,89	2,29	1,89	1,69	1,49	1,09	0,68	0,87	0,36

	LNGX 12-R	LNGX 12-MF		LNGX 12-MM	LNGX 12-FA		
r_ϵ	0,8	1,6	0,4	0,8	0,8	0,4	0,8
a	1,88	1,08	2,28	1,88	1,88	2,30	1,89





7,6



1,0

5,0

9,0



0,19

0,13

0,08



LNGX 12

	α_{\max} °	a_p/l
25	1,3	2,1/100
32	0,7	1,1/100
40	0,5	0,7/100
50	0,4	0,5/100
63	0,2	0,3/100
80	0,2	0,2/100



LNGX 12

	d_{\min}	d_{\max}	d_{\min} S_{\max}	d_{\max} S_{\max}
25	35,0	50,0	0,7	1,7
32	49,0	64,0	0,6	1,2
40	65,0	80,0	0,6	1,0
50	85,0	100,0	0,7	1,0
63	111,0	126,0	0,6	0,8
80	145,0	160,0	0,7	0,8



0,2



		3	5	10	15	20	30	40	50	60	80	100
25		0,548	0,707	1,000	1,225	1,414	1,732	2,000	2,236	2,449	2,828	3,162
32		0,620	0,800	1,131	1,386	1,600	1,960	2,263	2,530	2,771	3,200	3,578
40		0,693	0,894	1,265	1,549	1,789	2,191	2,530	2,828	3,098	3,578	4,000
50		0,775	1,000	1,414	1,732	2,000	2,449	2,828	3,162	3,464	4,000	4,472
63		0,869	1,122	1,587	1,944	2,245	2,750	3,175	3,550	3,888	4,490	5,020
80		0,980	1,265	1,789	2,191	2,530	3,098	3,578	4,000	4,382	5,060	5,657

		3	5	10	15	20	30	40	50	60	80	100
1,6		0,196	0,253	0,358	0,438	0,506	0,620	0,716	0,800	0,876	1,012	1,131
2,0		0,219	0,283	0,400	0,490	0,566	0,693	0,800	0,894	0,980	1,131	1,265
2,5		0,245	0,316	0,447	0,548	0,632	0,775	0,894	1,000	1,095	1,265	1,414
3,0		0,268	0,346	0,490	0,600	0,693	0,849	0,980	1,095	1,200	1,386	1,549